

Section 3 : Business Influences and Base Assumptions

Table	1	Key denominators, water
Block	A	Water billed properties and supply points
Line	1	Household billed properties

Line Definition: No of billed household properties (measured and unmeasured) as at September of reporting year which are billed, including those that have not received a bill as they are exempt from charges. This row excludes voids.

Processing Rule: Input

AR 07 Ref: A1.1 + A1.2

Nr	Odp
-----------	------------

Table	1	Key denominators, water
Block	A	Water billed properties and active supply points
Line	2	Licensed Provider supply points

Line Definition: Number of supply points (both assessed and measured) active and registered to Licesed providers as at September of the reporting year including supply points that attract a negative wholesale charge due to their exemption status. This row excludes voids.

Processing Rule: Input

AR 07 Ref: A1.3 + A1.4

Nr	Odp
-----------	------------

Table	1	Key denominators, water
Block	A	Water billed properties and active supply points
Line	3	Total billed properties and active supply points

Line Definition: Total number of billed properties and active supply points as at September of the reporting year, including exempt customers and those attracting a negative wholesale charge due to their exemption status. This row excludes voids.

Processing Rule: Calculated field: the sum of lines 1 and 2

AR 07 Ref: A1.5

Nr	Odp
-----------	------------

Table	1	Key denominators, water
Block	B	Water connected properties & supply points
Line	4	Household connected properties

Line Definition: Number of connected household properties (measured and unmeasured), as at September 2005. This row includes voids.

Processing Rule: Input

AR 07 Ref: A1.6 + A1.7

Nr	Odp
-----------	------------

Section 3 : Business Influences and Base Assumptions

Table	1	Key denominators, water
Block	B	Water connected properties & supply points
Line	5	Licensed Provider connected supply points

Line Definition: Number of supply points (both assessed and measured) both active and inactive as at September of the reporting year, including both supply points that attract a negative wholesale charge due to their exemption status and those that are void.

Processing Rule: Input

AR 07 Ref: A1.8 + A1.9

Nr	Odp
-----------	------------

Table	1	Key denominators, water
Block	B	Water connected properties & supply points
Line	6	Total connected properties and supply points

Line Definition: Number of connected properties and supply points as at the September of the report year. This row includes voids.

Processing Rule: Calculated field: the sum of lines 4 and 5

AR 07 Ref: A1.10

Nr	Odp
-----------	------------

Table	1	Key denominators, water
Block	C	Water population
Line	7	Winter population

Line Definition: Population supplied during the reporting year in SW's area of supply. Include population served by bulk supplies received. The population should be obtained from the most recent ONS or local authority estimates, or SW's update of these estimates.

Processing Rule: Input

AR 07 Ref: A2.1

Nr	Odp
-----------	------------

Table	1	Key denominators, water
Block	C	Water population
Line	8	Household population connected to the water service

Line Definition: Household population connected to the water service as at September of the report year.

Processing Rule: Input

AR 07 Ref: A2.5

Nr	Odp
-----------	------------

Section 3 : Business Influences and Base Assumptions

Table	1	Key denominators, water
Block	D	Other water measures
Line	9	Total length of mains (closing balance)

Line Definition: Total length of mains, potable water at end of report year. Company to state in the commentary box if definition of "main" is size related (give minimum size) or based on other criteria (e.g. in public road). Raw water mains to be treated as aqueducts. Report in the commentary box on partially treated or non-potable mains.

Processing Rule: Input

AR 07 Ref: D5.8 & E6.16

km

Odp

Table	1	Key denominators, water
Block	D	Other water measures
Line	10	Length of mains size band 1 (L≤165mm OD)

Line Definition: Length of potable water mains within size band 1 (L≤165mm OD)

Processing Rule: Input

AR 07 Ref: E6.12

km

Odp

Table	1	Key denominators, water
Block	D	Other water measures
Line	11	Length of mains size band 2 (165mm<L≤320mm OD)

Line Definition: Length of potable water mains within size band 2 (165mm<L≤320mm OD)

Processing Rule: Input

AR 07 Ref: E6.13

km

Odp

Table	1	Key denominators, water
Block	D	Other water measures
Line	12	Length of mains size band 3 (321mm<L≤625mm OD)

Line Definition: Length of potable water mains within size band 3 (321mm<L≤625mm OD)

Processing Rule: Input

AR 07 Ref: E6.14

km

Odp

Section 3 : Business Influences and Base Assumptions

Table	1	Key denominators, water
Block	D	Other water measures
Line	13	Length of mains size band 4 (L>625mm OD)

Line Definition: Length of potable water mains within size band 4 (L>625mm OD)

Processing Rule: Input

AR 07 Ref: E6.15

km	Odp
-----------	------------

Table	1	Key denominators, water
Block	D	Other water measures
Line	14	Total length of sewers - closing balance

Line Definition: Total length of unlined iron water mains at end of report year

Processing Rule: Input

AR 07 Ref: E6.17

km	Odp
-----------	------------

Table	2	Key denominators, wastewater
Block	A	Wastewater billed properties and supply points
Line	1	Household billed properties

Line Definition: Number of billed household properties (measured and unmeasured) as at September of reporting year which are billed for any wastewater service, including those that have not received a bill as they are exempt from charges. This row excludes voids.

Processing Rule: Input

AR 07 Ref: A1.12 + A1.13 + A1.27

Nr	Odp
-----------	------------

Table	2	Key denominators, wastewater
Block	A	Wastewater billed properties and supply points
Line	2	Licensed Provider supply points

Line Definition: Number of wastewater supply points (both assessed and measured) and trade effluent discharge points and registered to Licensed providers as at September of the reporting year including supply points that attract a negative wholesale charge due to their exemption status. This row excludes voids.

Processing Rule: Input

AR 07 Ref: A1.14 + A1.15 + A1.28 +
A1.36

Nr	Odp
-----------	------------

Section 3 : Business Influences and Base Assumptions

Table	2	Key denominators, wastewater
Block	A	Wastewater billed properties and supply points
Line	3	Total billed properties and supply points

Line Definition: Total number of billed properties and supply points as at September of the reporting year, including exempt customers and those attracting a negative wholesale charge due to their exemption status. This row excludes voids.

Processing Rule: Calculated field: the sum of lines 1 and 2.

AR 07 Ref: A1.16 + A1.29 + A1.36

Nr	Odp
-----------	------------

Table	2	Key denominators, wastewater
Block	A	Wastewater billed properties and supply points
Line	4	Total billed properties and supply points not connected for property drainage

Line Definition: Total number of properties, supply points and discharge points included in line 3 that do not attract charges for property drainage. This row excludes voids.

Processing Rule: Input

AR 07 Ref: A1.23 + A1.24 + A1.25 +
A1.26

Nr	Odp
-----------	------------

Table	2	Key denominators, wastewater
Block	B	Wastewater connected properties & supply points
Line	5	Household connected properties

Line Definition: Number of connected household properties (measured and unmeasured), as at September 2005. This row includes voids.

Processing Rule: Input

AR 07 Ref: A1.6 + A1.7

Nr	Odp
-----------	------------

Table	2	Key denominators, wastewater
Block	B	Wastewater connected properties & supply points
Line	6	Licensed Provider connected supply points

Line Definition: Number of supply points (both assessed and measured) and trade effluent discharge points as at September of the reporting year, including both supply points that attract a negative wholesale charge due to their exemption status and those that are void.

Processing Rule: Input

AR 07 Ref: A1.8 + A1.9 + A1.37

Nr	Odp
-----------	------------

Section 3 : Business Influences and Base Assumptions

Table	2	Key denominators, wastewater
Block	B	Wastewater connected properties & supply points
Line	7	Total connected properties and supply points

Line Definition: Number of connected properties and supply points as at the September of the report year. This row includes voids.

Processing Rule: Calculated field: the sum of lines 5 and 6.

AR 07 Ref: A1.10

	Nr	Odp
--	-----------	------------

Table	2	Key denominators, wastewater
Block	C	Wastewater population
Line	8	Winter population

Line Definition: Population supplied during the reporting year in SW's area of supply. Include population served by bulk supplies received. The population should be obtained from the most recent ONS or local authority estimates, or SW's update of these estimates.

Processing Rule: Input

AR 07 Ref: A2.6

	Nr	Odp
--	-----------	------------

Table	2	Key denominators, wastewater
Block	C	Wastewater population
Line	9	Household population connected to the wastewater service

Line Definition: Household population (winter) connected to the wastewater service.

Processing Rule: Input

AR 07 Ref: A2.8

	Nr	Odp
--	-----------	------------

Table	2	Key denominators, wastewater
Block	C	Wastewater population
Line	10	Assumed percentage returned to sewer

Line Definition: Assumed percentage of delivered water that is returned to the sewerage system.

Processing Rule: Input

AR 07 Ref: A2.9

	%	Odp
--	----------	------------

Section 3 : Business Influences and Base Assumptions

Table	2	Key denominators, wastewater
Block	D	Other wastewater measures
Line	11	Total length of critical sewer - closing balance

Line Definition: Total length of "critical" sewers at end of report year.

Processing Rule: Input

AR 07 Ref: D6.8

km	Odp
----	-----

Table	2	Key denominators, wastewater
Block	D	Other wastewater measures
Line	12	Total length of sewers - closing balance

Line Definition: Total length of sewers. Include gravity sewers and rising mains at end of report year.

Processing Rule: Input

AR 07 Ref: D6.13

km	Odp
----	-----

Table	2	Key denominators, wastewater
Block	D	Other wastewater measures
Line	13	Total length of lateral sewer

Line Definition: The total length of lateral sewers.

Processing Rule: Input

AR 07 Ref: E7.9

km	Odp
----	-----

Table	2	Key denominators, wastewater
Block	D	Other wastewater measures
Line	14	Length of combined sewer

Line Definition: The total length of combined sewer. Combined sewers are those designed to convey foul and surface water flows.

Processing Rule: Input

AR 07 Ref: E7.10

km	Odp
----	-----

Table	2	Key denominators, wastewater
Block	D	Other wastewater measures
Line	15	Length of separate stormwater sewer

Line Definition: The total length of stormwater sewer. Stormwater sewers are those designed to convey surface water flows only.

Processing Rule: Input

AR 07 Ref: E7.11

km	Odp
----	-----

Section 3 : Business Influences and Base Assumptions

Table	3	Volumes and Loads
Block	A	Water Balance
Line	1	Distribution input treated water

Line Definition: Average flow rate of potable water entering the distribution system and supplied to customers within SW's area of supply.

This should be the same as Support Section D - Table 7 line 10

Processing Rule: Input

AR 07 Ref: A 2.11

MI/d

Odp

Table	3	Volumes and Loads
Block	A	Water balance
Line	2	Households volume of water delivered

Line Definition: Estimated average flow rate of potable water delivered to household properties and charged at standard rates.

This should be the same as Support Section D - Table 7 line 10

Processing Rule: Input

AR 07 Ref: A2.12+A2.13

MI/d

Odp

Table	3	Volumes and Loads
Block	A	Water balance
Line	3	Non-households volume of water delivered

Line Definition: Estimated average volume of potable water delivered to non-household supply points.

This should be the same as Support Section D - Table 7 line 16.

Processing Rule: Input

AR 07 Ref: A2.14+ A2.15

MI/d

Odp

Table	3	Volumes and Loads
Block	A	Water balance
Line	4	Total potable water delivered

Line Definition: Total potable water delivered to all premises including supply pipe leakage and meter under-registration.

This should be the same as Support Section D - Table 7 line 17.

Processing Rule: Input

AR 07 Ref: A2.16

MI/d

Odp

Section 3 : Business Influences and Base Assumptions

Table	3	Volumes and Loads
Block	A	Water balance
Line	5	Leakage - Distribution losses (incl trunk mains and service reservoirs)

Line Definition: Distribution losses represent the losses on SW's potable water distribution system, i.e. excluding supply pipe leakage, which is the customer's responsibility.

This should be the same as Support Section D - Table 7 line 25.

Processing Rule: Input

AR 07 Ref: A2.18

MI/d

Odp

Table	3	Volumes and Loads
Block	A	Water balance
Line	6	Leakage - supply pipe losses

Line Definition: Scottish Water's estimate of total leakage through supply pipes.

This should be the same as Support Section D - Table 7 line 31.

Processing Rule: Input

AR 07 Ref: A2.31

MI/d

Odp

Table	3	Volumes and Loads
Block	A	Water balance
Line	7	Total leakage - total losses

Line Definition: SW estimate of total leakage.

This should be the same as Support Section D - Table 7 line 32.

Processing Rule: Input

AR 07 Ref: A2.30

MI/d

Odp

Table	3	Volumes and Loads
Block	A	Water balance
Line	8	Water population equivalent

Line Definition: Water population equivalent = (sum of measured and unmeasured household population Table 3.1 Line 13 + Table 3.1 Line 14) plus (non-household water delivered Table 3.3 Line 3 * 1000000 divided by (volume-weighted average of unmeasured and measured pcc (AR A2.25 & A2.26))

Processing Rule: Input

AR 07 Ref:

nr

Odp

Section 3 : Business Influences and Base Assumptions

Table	3	Volumes and Loads
Block	B	Non-potable water
Line	9	Volume of non-potable water delivered

Line Definition: Volume of water delivered to non-household supply points that is non-potable.

Processing Rule: Input

AR 07 Ref: A2.20

MI/d	Odp
-------------	------------

Table	3	Volumes and Loads
Block	C	Sewage volumes collected
Line	10	Households volume of sewage collected

Line Definition: Volume of sewage discharged by household properties. To ensure consistency with reported volumes in England and Wales, this should be set at 95% of the volumes of water delivered.

This should be the same as Support Section D - Table 4 (line 12 + line 13).

Processing Rule: Input

AR 07 Ref: A2.39+A2.40

MI/d	Odp
-------------	------------

Table	3	Volumes and Loads
Block	C	Sewage volumes collected
Line	11	Non-households volume of sewage collected

Line Definition: Volume of sewage discharged by non-household supply points. If this is not set to 95% of water delivered, the reasons should be explained.

This should be the same as Support Section D - Table 4 (line 14 + line 15).

Processing Rule: Input

AR 07 Ref: A2.41+A2.42

MI/d	Odp
-------------	------------

Table	3	Volumes and Loads
Block	C	Sewage volumes collected
Line	12	Trade effluent volume

Line Definition: Volume of trade effluent discharged to sewerage system. Trade effluent is any discharge which is not "domestic".

This should be the same as Support Section D - Table 4 line 16.

Processing Rule: Input

AR 07 Ref: A2.43

MI/d	Odp
-------------	------------

Section 3 : Business Influences and Base Assumptions

Table	3	Volumes and Loads
Block	C	Sewage volumes collected
Line	13	Total volume discharged to sewerage system

Line Definition: Volume of sewage (both domestic and trade effluent) discharged to sewerage system by measured and unmeasured household properties and non-household supply points.
This should be the same as Support Section D - Table 4 line 18.

Processing Rule: Input

AR 07 Ref: A2.44

MI/d	0dp
-------------	------------

Table	3	Volumes and Loads
Block	C	Sewage volumes collected
Line	14	Septic tank and other waste received at sewage treatment works

Line Definition: The total volume of private and public septic tank and other waste received at sewage treatment works.
This should be the same as Support Section D - Table 4 line 17

Processing Rule: Input

AR 07 Ref: A2.45

MI/d	0dp
-------------	------------

Table	3	Volumes and Loads
Block	C	Sewage volumes collected
Line	15	Total volume received at sewage treatment works

Line Definition: Total volume of sewage received at sewage treatment works.
This should be the same as Support Section D - Table 4 (line 17 + line 18).

Processing Rule: Input

AR 07 Ref:

MI/d	0dp
-------------	------------

Table	3	Volumes and Loads
Block	C	Sewage volumes collected
Line	16	Household sewage load

Line Definition: Total BOD load per year (tonnes) from household effluent. Exclude septic tank waste. This is based on a figure of 60g/day BOD.
This should be the same as Support Section D - Table 4 line 20.

Processing Rule: Input

AR 07 Ref: A2.46+A2.47

Tonnes BOD	/yr	0dp
-------------------	------------	------------

Section 3 : Business Influences and Base Assumptions

Table	3	Volumes and Loads
Block	C	Sewage volumes collected
Line	17	Non-household sewage load

Line Definition: Total BOD load per year (tonnes) from non-household effluent. Exclude septic tank waste. Where this differs from a figure of 60g/day BOD, this should be explained in the commentary.

This should be the same as Support Section D - Table 4 line 21.

Processing Rule: Input

AR 07 Ref: A2.48+A2.49

Tonnes BOD	/yr	Odp
-------------------	------------	------------

Table	3	Volumes and Loads
Block	C	Sewage volumes collected
Line	18	Trade effluent load

Line Definition: This is the total trade effluent BOD load in tonnes BOD/year. This must be from active supply points.

This should be the same as Support Section D - Table 4 line 22.

Processing Rule: Input

AR 07 Ref: A2.50

Tonnes BOD	/yr	Odp
-------------------	------------	------------

Table	3	Volumes and Loads
Block	C	Sewage volumes collected
Line	19	Total load discharged to sewerage system

Line Definition: Total BOD load per year (tonnes) from all primary services. Excludes septic tank waste.

This should be the same as Support Section D - Table 4 line 23.

Processing Rule: Input

AR 07 Ref: A2.51

Tonnes BOD	/yr	Odp
-------------------	------------	------------

Table	3	Volumes and Loads
Block	C	Sewage volumes collected
Line	20	Total public and private septic tank and other load received at sewage treatment works

Line Definition: Total septic tank and other pollutant load received at sewage treatment works (BOD) (tonnes/year).

This should be the same as Support Section D - Table 4 line 24.

Processing Rule: Input

AR 07 Ref: A2.52+A2.53+A2.54

Tonnes BOD	/yr	Odp
-------------------	------------	------------

Section 3 : Business Influences and Base Assumptions

Table	3	Volumes and Loads
Block	C	Sewage volumes collected
Line	21	Total load received at sewage treatment works

Line Definition: Total pollution load in tonnes BOD/year which is received at sewage treatment works.
This should be the same as Support Section D - Table 4 line 25.

Processing Rule: Input

AR 07 Ref:	A2.55	Tonnes BOD	/yr	0dp
-------------------	-------	-------------------	------------	------------

Table	3	Volumes and Loads
Block	C	Sewage volumes collected
Line	22	Equivalent population served (resident)

Line Definition: Equivalent population should be calculated on the basis of 60g BOD5 per capita per day. Imported effluents should be included in calculation. No account should be taken of holiday population.

Processing Rule: Input

AR 07 Ref:	A2.58	nr	0dp
-------------------	-------	-----------	------------

Table	3	Volumes and Loads
Block	C	Sewage volumes collected
Line	23	Equivalent population served (resident)(numerical consents)

Line Definition: Equivalent population should be calculated on the basis of 60g BOD5 per capita per day. Imported effluents should be included in calculation. No account should be taken of holiday population.

Processing Rule: Input

AR 07 Ref:	A2.59	nr	0dp
-------------------	-------	-----------	------------

Table	3	Volumes and Loads
Block	C	Sewage volumes collected
Line	24	Total load receiving treatment at PPP treatment works

Line Definition: The total load receiving treatment through PPP works.
This should be the same as Support Section D - Table 4 line 24.

Processing Rule: Input

AR 07 Ref:	A2.60	Tonnes BOD	/yr	0dp
-------------------	-------	-------------------	------------	------------

Section 3 : Business Influences and Base Assumptions

Table	3	Volumes and Loads
Block	D	Sewage sludge
Line	25	Total sewage sludge disposal

Line Definition: Total for all sewage sludge disposal. This should include disposal to farmland, landfill, incineration, composted, land reclamation, and other.

This should be the same as Support Section D - Table 4 line 25.

Processing Rule: Input

AR 07 Ref: A2.61

tds/yr

0dp

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	1	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref: new

n/a

n/a

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	2	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref: new

n/a

n/a

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	3	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref: new

n/a

n/a

Section 3 : Business Influences and Base Assumptions

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	4	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	5	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	6	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	7	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Section 3 : Business Influences and Base Assumptions

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	8	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	9	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	10	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	11	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Section 3 : Business Influences and Base Assumptions

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	12	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	13	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	14	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	15	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Section 3 : Business Influences and Base Assumptions

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	16	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	17	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	18	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	19	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Section 3 : Business Influences and Base Assumptions

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	20	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	21	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	22	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	23	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Section 3 : Business Influences and Base Assumptions

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	24	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	25	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	26	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	27	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Section 3 : Business Influences and Base Assumptions

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	28	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	29	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----

Table	4	Scottish Water's Views on Key Information from Rest of Plan
Block	A	Scottish Water's key information
Line	30	

Line Definition: Scottish Water to input information from the rest of the plan that it wishes to use to explain its operating environment.

Scottish Water should input the line title to the table.

Processing Rule:

AR 07 Ref:	new	n/a	n/a
-------------------	-----	-----	-----